GC 170A Midterm Practice Questions- Fall 2013


(a link to the answers is at the end of the questions)

Here is an assortment of practice questions selected from previous exams that are good examples of the types of questions that will be on this year's Midterm Exam. I can't give you practice on *every* kind of question I will ask, and on *every* topic I will ask about, but these practice questions should help you get an idea of what the exam will be like and will help you review some key concepts.

NOTE: For additional practice, review the questions in the Self Checks & RQ's, and Test #1 and #2


NOTE: The exam itself will not be as long as this set of practice questions. It will contain about 25 -30 multiple choice questions (4-5 pts each), with the rest of the questions being, fill-in-the-blank, make-a-sketch, and a short answer-essay question.

Question #1 (a, b, & c) refers to the figure below which represents a portion of the **Electromagnetic Spectrum** with wavelengths shown (in micrometers, μm) along a horizontal line and sections of the spectrum bracketed and




labeled.

- (a) Which bracketed section of the spectrum represents visible light? (Circle one) X Y Z
- (b) Which bracketed section of the spectrum represents infrared wavelengths? (Circle one) X Y Z
- (c) Which bracketed section of the spectrum represents ultraviolet wavelengths? (Circle one) X Y Z
- 2. In the dot diagram of the atom shown at right, Feature X represents one of the atom's electrons & Feature Y represents the atom's nucleus. If this atom has a <u>neutral</u> charge, how many positively charged protons does the nucleus contain:



- a) one
- b) two
- c) three
- d) four
- 3. If a photon of electromagnetic energy (with just the right frequency and wavelength) is absorbed by the electron represented by Feature X in #2, which of the following is likely to happen:
- a) energy will be absorbed by the photon
- b) energy will be emitted by the electron
- c) the photon will make a quantum leap to a lower energy level
- d) the electron will make a quantum leap to a higher energy level
- 4. The Earth is heated by incoming radiation from the sun, with the greatest intensity occurring in the visible (light) part of the electromagnetic spectrum, and then the Earth cools by radiating infrared (IR) back out to space through the ozone hole.
 - (a) True
- (b) False
- 5. If it weren't for the Greenhouse Effect, the Earth's average surface temperature would be well below the freezing point of water.
 - (a) True (b) False
- 6. The Earth's temperature depends on three main factors. Which of the following correctly lists these factors:
 - a) the Earth's reflectivity, Solar radiation (flux), and clouds
 - b) the Earth's reflectivity, the amount of ice cover on the planet, and the amount of forest cover
 - c) the Solar flux, the Greenhouse Effect, and the ozone layer
 - d) the Solar flux, the Greenhouse Effect, and the Earth's reflectivity


- 7. We use wave terminology to describe the behavior of electromagnetic radiation. The relationship between wavelength (λ), wave frequency (ν) and wave speed (ν) and wave speed (ν) is constant, which of the following best describes the relationship between wavelength and frequency:
 - a) "the longer the wavelength, the lower its frequency"
 - b) "the longer the wavelength, the higher its frequency"
 - c) "the shorter the wavelength, the lower its frequency"
 - d) "the shorter the wavelength, the lower its speed"
- 8. The atmospheric layers of the **troposphere** and the **stratosphere** are important to global climate change because:
 - a) they are the two layers closest to the sun, which is the source of the Earth's energy
 - b) they are the two layers in which temperature INCREASES with altitude in the atmosphere
 - c) they are the layers in which most of our <u>weather and heat transfer</u> occur (i.e., in the troposphere) and where most of the atmosphere's <u>ozone</u> occurs (i.e., in the stratosphere)
 - d) they are the layers having the lowest atmospheric pressure.
- **9.** According to the prevailing theories described in your SGC-E Text text, the ability of various greenhouse gases to absorb and emit photons of infrared radiation depends on:
 - a) the frequency at which they are rotating compared to the wavelength of radiation
 - b) the amplitude at which they are vibrating compared to the wavelength of radiation
 - c) the number of protons present in the molecule
 - d) BOTH a and b can influence which wavelengths of infrared radiation are absorbed or emitted.
- 10. Select the statement below that best states the reason why some of the gases depicted below are more likely to be greenhouse gases than the other gases shown -- according to the theory of quantum mechanics?



- a) Gas 2 and Gas 4 are more likely to be greenhouse gases because the rotation, vibration, and bending behavior of their **symmetric diatomic structure** can occur at discrete frequencies that allow the **absorption and emission of IR** (infrared) electromagnetic wavelengths
- b) Gas 2 and Gas 3 are more likely to be greenhouse gases because they **rotate and don't bend** and <u>rotation</u> at discrete frequencies is associated with the **absorption and emission of IR** (infrared) electromagnetic wavelengths
- c) Gas 1 and Gas 3 are more likely to be greenhouse gases because the rotation, vibration, and bending behavior of their **asymmetric triatomic structure** can occur at discrete frequencies that allow the **absorption and emission of IR** (infrared) electromagnetic wavelengths
- d) None of these figures illustrates a greenhouse gas, because the figures show molecules *only* and the absorption and emission of IR (infrared) electromagnetic wavelengths occurs *within atoms* (not molecules) when electrons absorb and emit IR *photons* of radiation.
- 11. Which of the following is one of the five most abundant gases in the Earth's atmosphere AND is also a greenhouse gas?
 - a) Argon (Ar)
- b) Carbon dioxide (CO₂)
- c) Ozone (O₃)
- d) Nitrogen (N₂)
- 12. Which of the following is a CORRECT statement about the difference between ultraviolet (UV) electromagnetic radiation and infrared (IR) electromagnetic radiation?
 - a) UV electromagnetic radiation has a shorter wavelength and lower frequency than IR electromagnetic radiation
 - b) UV electromagnetic radiation has a **higher energy** and **higher frequency** than IR electromagnetic radiation
 - c) UV electromagnetic radiation plays a more primary role in the greenhouse effect than IR radiation
 - d) UV electromagnetic radiation is **closer** in the electromagnetic spectrum to **microwave**, **radar**, **and radio** frequencies than is IR radiation

- One of the Radiation Laws -- called Wein's Law -- is a statement about the relationship between the **temperature** of a substance and the **wavelength** at which radiation from that substance is emitted. Which of the phrases below CORRECTLY states the "rule" for Wein's Law?
 - a) The wavelength of radiation a body gives off is proportional to the fourth power of its absolute temperature.
 - b) Shorter wavelengths involve higher intensity radiation fluxes than longer wavelengths
 - c) The hotter the temperature of the body, the longer the wavelength maximum emission of radiation from that body.
 - d) The **hotter the temperature** of the body, the **shorter the wavelength** of maximum emission of radiation from that body.
- 14. Now circle the letter of the symbolic notation (formula) that best represents what Wein's Law is saying (refer to #13). Key to notation: [E = radiation emitted, T = temperature, λ = wavelength, a = a constant]
 - a) $\lambda = aT^2$
- b) $E = a T^4$
- c) $\lambda = a/T$
- d) $E = \lambda / a$

QUESTIONS #15 through # 17 refer to the figure below:



- . Which one of these phrases based on the Radiation Laws best explains why absorption bands exist?
 - a) The amount of radiation passing through a unit area is inversely proportional to the square of the distance of that area from the source
 - b) All substances emit wavelengths of radiation as long as their temperature is above absolute zero.
 - c) As substances get hotter the wavelength at which radiation is emitted will become shorter.
 - d) Some substances emit and absorb radiation at certain wavelengths only.
- **16. GRAPH A** depicts absorption by a gas that absorbs electromagnetic energy that is mostly:
 - a) in the visible light part of the spectrum
 - b) ultraviolet radiation
 - c) infrared radiation
 - d) microwave radiation
- **17. GRAPH B** depicts absorption by a gas that absorbs electromagnetic radiation that is:
 - a) mostly longwave radiation
 - b) mostly infrared radiation
 - c) both solar and terrestrial radiation

- 18. Which of the following best states the differences between solar (Sun) and terrestrial (Earth) radiation in terms of the electromagnetic spectrum:
- a) The Earth emits most of its radiant energy as short-wave radiation (< 1 micrometer) while the sun's radiation peak is in the long-wave (>1 micrometer) portion of the spectrum.
- b) The Earth's radiation peak is in the ultraviolet portion of the spectrum while the sun's radiation peak is in the visible light portion of the spectrum.
- c) The Sun's wavelength of peak emission is about 0.5 micrometer while the Earth's wavelength of peak emission is about twenty times longer at about 10 micrometers.
- d) Solar radiation involves the greenhouse effect, which operates mostly in the visible part of the spectrum, while terrestrial radiation does not involve the greenhouse effect.
- e) The Sun radiates <u>only</u> in the visible light part of the spectrum while the Earth radiates <u>only</u> in the infrared part of the spectrum.

For **QUESTIONS #19 through #21**: Fill in the blank with letter **a**, **b**, **c**, or **d** to match each of the following statements about forms of <u>energy</u> **transfer** with the proper process, depending on which type of energy transfer best represents the statement.

a) Convection b) Conduction c) Electromagnetic Radiation

19. ____ energy transfer by means of vibrational energy from one molecule to the next through a substance.

20. ____ the predominant form in which energy involved in the Greenhouse Effect is transferred

21. ____ energy transfer by means of large-scale movements of material within a fluid

22. Ultraviolet (UV) radiation can be classified by wavelength range into three types of radiation: UVA with a wavelength range of 320-400 nanometers (nm), which is equivalent to .32 -.40 micrometers (μm), UVB with a range of 290-320 nm or .29-.32 μm, and UVC with a range of 200-290 nm or .20 - .29 μm. **Which of the following statements about these UV ranges is correct:**

- a) UVC radiation is relatively harmless to life while UVA radiation is extremely harmful
- b) UVC is the most harmful wavelength range because its wavelengths are the shortest and therefore the highest energy wavelengths
- c) UVA is the same UV radiation range that is almost completely absorbed by ozone in the stratosphere.
- d) On the electromagnetic spectrum, UVC radiation is closer to visible light than UVB radiation


Questions 23 – 26 Referring to the diagram at left, give the names of the following layers of the atmosphere:


23. The layer from A to B is named: ______

24. The layer from B to C is named: ______

25. The layer from C to D is named: ______


26. The layer above D is named:






[HINT: figure out the altitude of the TROPOPAUSE from the figure for Questions # 23-26.]


a) The figure is showing how atmospheric pressure varies with altitude, with the greatest pressure at ~ 30 km. Therefore the label for the horizontal axis should be Air Pressure.





d) The figure is showing how temperature varies with altitude, with warm temperatures at the Earth's surface, even warmer temperatures in the mid-troposphere, and the coolest temperatures near the top of the troposphere. Therefore the label for the horizontal axis should be Air Temperature.

28. Which of the following best describes the kind of global change revealed by **Curve** show at right:



50

the Keeling

- a) The Keeling Curve indicates that carbon dioxide concentration in the atmosphere has experienced an increase in variance since 1958, in addition to annual quasi-periodic oscillations of CO2 that occur due to seasonal variations in global photosynthesis and respiration.
- b) The Keeling Curve indicates that carbon dioxide concentration in the atmosphere has experienced an increasing trend since 1958, in addition to annual quasi-periodic oscillations of CO₂ that occur due to seasonal variations in global photosynthesis and respiration.
- c) The Keeling Curve indicates that carbon dioxide concentration in the atmosphere has experienced a constant mean over time since 1958, except for the annual quasi-periodic oscillations that occur due to seasonal variations in global photosynthesis and respiration.
- d) The Keeling Curve indicates that carbon dioxide concentration in the atmosphere has experienced can abrupt step change and anincreasing variance (range of fluctuations) since 1958, due to seasonal variations in global photosynthesis and respiration.


NOTE: We postponed the concept covered in #29 until after the midterm, so a question like it will NOT be on the 2013 Midterm:

- 30. Energy transfer by means of large-scale movements of material within a fluid (liquid or air) occurs in which one of the following processes:
 - a) convection
- b) conduction
- c) latent energy
- d) terrestrial infrared radiation
- shortwave solar radiation
- 31. Energy transfer by waves or pulses of energy that involve photons occurs in which one of the following processes:
 - a) sensible heat
- b) convection
- c) conduction
- d) shortwave solar radiation


32. Specific heat is the amount of energy (in calories) that is needed to raise one gram of a substance one degree Celsius. The specific heat of water = 1.0 calorie and the specific heat of sand = 0.20 calorie. If we add the exact same amount of energy to one gram of water having a temperature of 15 °C, which of the following is most likely to be true?

- a) the sand and water will both heat up to the same temperature in the same amount of time
- b) the sand will heat up faster and reach a warmer temperature than the water
- c) the water will heat up faster and reach a warmer temperature than the sand
- d) all of the energy going into the water will go into the latent energy form, hence the water won't heat up at all

33. In the figures below, which <u>circled area is</u> the best depiction of the **GREENHOUSE EFFECT?** [HINT: The best depiction will be a circled area that includes the correct type of radiation (shortwave or longwave) and illustrates absorption and re-radiation of that radiation]




- a) the area circled in Figure X
- b) area circled in Figure Y
- c) area circled in Figure Z
- d) none of the figures show the GREENHOUSE EFFECT exactly as we have seen it and discussed it in class
- 34. Which energy flow diagram below is best depicts the diagram of a well-designed, highly energy efficient LED light bulb?






- **35.** The diagram at left shows the relative amounts of **potential energy (PE)** and **kinetic energy (KE)** that are involved in a diver's plunge to the ground. In the diagram, **the fact that KE + PE = 1000 at each point in time (even though the values of KE and PE change)** represents *which one* of the following LAWS of physics:
- a) 1st Law of Thermodynamics: "In an isolated system the total amount of energy is conserved, although energy may change from one form to another."
- b) The Inverse Square Law
- c) The Law of Gravity
- d) 2nd Law of Thermodynamics: "Every isolated system becomes disordered with time."

- **36.** Select the statement that properly describes the figure at right:
 - a) The figure is a good depiction of the **1st Law of Thermodynamics** = "In an isolated system the total amount of energy is conserved, although energy may change from one form to another over and over again."
 - b) The figure is a good depiction of the **2nd Law of Thermodynamics** = "Energy flows from a higher-temperature object to a lower-temperature object. It will not spontaneously flow the other way."
 - c) The figure is a an incorrect depiction of the **1st Law of Thermodynamics** because there is no change of energy going on in the figure
 - d) The figure is an incorrect depiction of the **2nd Law of Thermodynamics** because the thermal energy flow is going in the wrong direction.



SAMPLE SHORT ANSWER -ESSAY QUESTION:


37. In class we discussed these three "cartoon" figures and selected one that is a more accurate depiction of the processes involved in the natural greenhouse effect.



- (a) Which figure above is the more accurate depiction of the natural greenhouse effect? Figure _____
- (b) On the figure you selected, **CIRCLE** the part of the diagram which represents the energy processes DIRECTLY involved in the **greenhouse effect.**
- (c) Explain WHY the figure you selected is a more accurate depiction of the natural Greenhouse Effect than the other two figures.
- (d) Finally, give a precise and scientifically accurate **DEFINITION** of the **natural Greenhouse Effect** in your <u>own</u> words.

[NOTE: By "natural greenhouse effect" I mean the naturally occurring greenhouse effect, not the "enhanced greenhouse effect" that arises from anthropogenic activities such as humans increasing the concentration of greenhouse gases by burning fossil fuels].

- 38. In the diagram below, the layer of the atmosphere where the Greenhouse Effect has its greatest influence is the:
 - a) troposphere
- b) stratosphere
- c) mesosphere
- d) thermosphere



ANOTHER SAMPLE ESSAY QUESTION:

- **39.** Briefly explain what causes the change in temperature with height in each of the following layers:
- a) the troposphere decreases in temperature with height because:
- b) the stratosphere increases in temperature with height because:


40. FILL IN THE BLANKS with one of the following terms to complete each sentence properly.

conduction convection radiation sensible heat latent heat

The diagram at right is a greatly simplified version of how the large southern California solar power plant at Kramer Junction (in the *Saved by the Sun* video) generates electricity from solar energy.

(a) ENERGY is transferred from X-to-Y (from the SUN to the SYNTHETIC OIL in the red tubes) by


(b) When water in the **Solar Super-heater**vat boils instantly, the Y-to-Z heat transfer that occurs can be described as the transfer of ______ in the SYNTHETIC OIL to ______ in the STEAM .




SAMPLE MAKE-A-SKETCH QUESTION:

41. On the diagram, illustrate <u>photon behavior</u> by MAKING A SKETCH which shows what happens when an electron in an excited state <u>drops</u> to a <u>lower</u> energy level.


Then **LABEL** your sketch to identify the names of all the **features** you have drawn in.



42. On the blank graph below, sketch in a line that represents the absorptivity of a hypothetical atmosphere that has **NO** ability to absorb**visible** light OR **infrared** radiation, but CAN absorb **ALL ultraviolet** radiation




43. DRAW A CIRCLE around the **IR atmospheric window region** on this absorption curve for the whole atmosphere and explain WHY this wavelength range is referred to as an "atmospheric window."



44. You are visiting a lakeshore on a hot summer day. On the diagram at right, sketch in arrows to represent the circulation of air flow that would most likely develop over the lake and the land due to thermally driven density differences in the air and the fact that water has a higher specific heat and heat capacity than land. [Hint: remember that hot air rises, cold air sinks]

Then explain your why your drew your sketch the way you did!



45. You have just **cored your first tree** as a fledgling dendrochronologist! After you carefully sand down the core, you see the ring-width growth pattern at right (shown enlarged). **Which of the following best describes your core's tree-ring growth pattern**:



- a) it looks like a very **complacent** ring growth pattern and so probably has *lots of climate information* in it because there is lots of year-to-year variability in the rings
- b) it looks like a very **complacent** ring growth pattern and so it will be difficult to crossdate with other tree-ring samples.
- c) it looks like a very **sensitive** ring growth pattern and so probably has *very little climate information* in it because the tree has been under lots of environmental stress
- d) it looks like a very sensitive ring growth pattern and will be easy to crossdate with other tree-ring samples.

Briefly explain why you answered as you did by describing the difference between a complacent vs. a sensitive tree-ring pattern and why a tree might have one or the other:

46. Trucks and SUVs are massive vehicles which tend to consume a lot of gas and are far less fuel efficient than smaller, less massive compact and subcompact cars, especially in stop-and-go traffic.

Select the one correct explanation for this and then briefly explain why the other 2 explanations are wrong!

- Explanation #1: Newton's 1st law states that all bodies have inertia. Vehicles with more mass have less inertia which allows them to move faster and consume more energy. Hence trucks and SUVs are less fuel efficient because of their lower inertia
- Explanation # 2: Newton's 2nd law can be written F = m/a, hence vehicles with large mass need less acceleration. The energy for this acceleration comes from consuming gasoline fuel, hence trucks and SUVs are less fuel efficient.
- Explanation #3: Newton's 2nd law can be written F = ma, hence vehicles with large mass need a large force to get them accelerating from zero (when stopped) to a typical traffic velocity. The energy to apply this force comes from consuming gasoline fuel, hence trucks and SUVs are less fuel efficient.

Why are the other 2 explanations are incorrect?